# NLM Technical Bulletin

November-December 1996 No. 293

### **Something Old, Something New**

# OLDMEDLINE: the Newest ELHILL Database

On December 18, 1996, a new database, OLDMEDLINE, will join the family of MEDLINE databases. OLDMEDLINE, or OLDMED, will initially contain over 307,000 citations that were published in the 1964 and 1965 *Cumulated Index Medicus (CIM)*.

This database will be accessible to command language searchers from any USER: prompt with the command FILE OLDMED or FILE OLDMEDLINE. Until programming changes can occur, the file will not have an input form screen in any of the Grateful Med programs; however, Grateful Med users who know how to search directly with the command language may choose direct searching and then give the FILE command. This file will not be immediately available via Internet Grateful Med (IGM).

### **Background**

In 1964, NLM began testing the computerized MEDLARS system as a mechanism for producing *Index Medicus*. Indexed citations for the 1964 and 1965 publications were not kept in electronic form by the Library, and until now were never made available in an NLM database.

NLM has long wanted to provide online access to citations published in *Index Medicus* before 1966, and with this file has begun the effort to accomplish this important goal. NLM was greatly assisted in this effort by the generosity and cooperation of the Deutsches Institut fur Medizinische Dokumentation und Information (DIMDI), the International MEDLARS Center in Germany. DIMDI was able to supply to NLM tapes of the original data for the citations from the 1964 and 1965 *Cumulated Index Medicus*.

In order to make these data available to users as soon as possible, NLM has taken

the data, as much as possible "as is." These older data were not subject to the stringent data entry and validation procedures now in place for data entry in MEDLINE. These older citations have not been maintained for over 30 years and only limited resources were available for review and maintenance. (Maintenance refers to the annual Year-End Processing that includes updating the MeSH vocabulary and adding new fields to records.) This means that when searching OLDMED, users must remember that:

- There may be erroneous or "dirty" data in many fields. While dirty data may occur in any database, considerable efforts are taken to make MEDLINE and MEDLINE Backfiles as clean and accurate as possible. Searchers may find the higher percentage of dirty data more noticeable in OLDMED. NLM does not currently plan to correct typographical errors or dirty data in OLDMED.
- 2. OLDMED data has not been maintained for over 30 years and lacks the individual and accumulated changes and improvements made to MEDLINE data during annual maintenance called Year-End Processing. Most significantly, the original MeSH Headings had not been maintained for over 30 years.

Approximately 400 of the original MeSH Headings are invalid in the current MeSH vocabulary. Also, there were no subheadings in this file! Therefore, all MeSH headings have been placed in a Keywords (KW) field, to distinguish them to searchers from MeSH Headings (MH) in MEDLINE and other ELHILL databases that are **always** valid in the current vocabulary. Because the vocabulary is not current, the tree numbers are also not valid and therefore, EXPLOSIONS and PRE-EXPLOSIONS are not functional for this file.

### **OLDMED Facts and Figures**

307,336
153,662
153,674

• Citations by publication year:

196?	1
1962	541
1963	81,970
1964	151,444
1965	73,380

- All alphabetic data in OLDMED appear in UPPER CASE.
- · No abstracts.
- · ILL currently not available.

Continued on page 4

### In this issue

### Articles:

- Something Old, Something New
   BIOETHICSLINE Includes MEDLINE
- BIOETHICSLINE Includes MEDLI Records
- 8 RISKLINE: the Newest TOXLINE Subfile
- 11 Rebuilding of CATLINE/AVLINE
- 11 Grateful Med for Windows
- 12 More on MeSH
- 15 MeSH Errata
- 16 Changes in Cataloging Policy

### Appendixes:

17A Online Codes Map

### **Regular Features:**

### 2 Technical Notes

PREMEDLINE Citations Available through DOCLINE ■ Preliminary 1997 MLA Meeting Info ■ Training Schedule Revision ■ MeSH Available on the Web ■ Electronic Access Procedure Changes ■ OSRM Chapters Available ■ Manual: Intro to HSR ■ Index Medicus, B & W MeSH, LII, CIM Pricing and Order Info ■ Chem Tool Discontinued ■ TB Index 1996 ■ Online Codes Map ■ NLM Pricing Schedule Errata

- 19 Instructions for Retrieving NLM Publications in Electronic Format
- 19 Internet Directory

### **Technical Notes**

# PREMEDLINE Citations Available through DOCLINE

PREMEDLINE document delivery is now available through DOCLINE as well as through Loansome Doc via Internet Grateful Med (IGM). The PREMEDLINE file is available with a user-friendly screen in IGM or with direct searching.

# Preliminary 1997 MLA Meeting Information

The NLM Online Users' Meeting at the annual meeting of the Medical Library Association (MLA) will be held as a Lunch N' Learn on Sunday, May 25, 1997 from 12:30 - 1:15 pm. Stay tuned for further information on NLM events at MLA.

### **Training Schedule Revision**

The dates for the April 1997 Fundamentals of MEDLARS Searching Class in Bethesda, MD have been changed from April 14-15 to April 28-29.

### MeSH Available on the Web

The Medical Subject Headings (MeSH) are now available over the World Wide Web. The 1997 MeSH is available on the Web in several formats. From the NLM Web site. (http://www.nlm.nih.gov) click on General Information, Organizational Structure, Medical Subject Headings Section, then Downloading. It is possible to: browse the tree structures; download a file containing all of MeSH in tree structure; or download all of MeSH in MARC format. The downloads require the completion of an online Memorandum of Understanding before a download can be done. No license or fee is required. In the future it is hoped that MeSH will be available in other formats as well. Comments and suggestions are welcomed; please direct your correspondence to Stuart Nelson, MD, Head, Medical Subject Headings, e-mail: nelson@nlm.nih.gov.

### Changes in Electronic Access Procedures

The instructions for retrieving NLM publications in electronic format are published on the next to last page of each issue of this publication. The directories for

the *Technical Bulletin* on nlmpubs have been changed slightly to make it easier to distinguish between ps (postscript) and pdf (portable document file) formats. As before, you may anonymous ftp from: nlmpubs.nlm.nih.gov/nlminfo/newsletters/techbull or you may anonymous ftp to the new directory listing: nlmpubs.nlm.nih.gov/online/medlars/techbull. In the techbull directory, there are now two subdirectories: pdf\_tb and ps\_tb. They contain the *Technical Bulletin* in pdf and ps formats respectively.

You may also retrieve NLM documents via NLM's Home Page, URL: http://www.nlm.nih.gov, using ftp. Instructions for this procedure are included on the same page.

### Online Services Reference Manual Chapters Available in Print and Electronically

**Print Chapters for Purchase** 

In response to the interests expressed by the medical library community on the MEDLIB-L List Serve in purchasing printed copy of Manual chapters, the NLM will make individual Manual chapters available from the National Online Training Center headquartered at the New York Academy of Medicine in New York, NY at a cost of \$10 per chapter. This price includes U. S. Postal Service express mail delivery and the pages will be 3-hole punched for easy insertion in any three ring binder. When additional chapters are available or current chapters have been updated, a notice will appear in the NLM Technical Bulletin and in NN/LM regional newsletters.

To order any of the chapters listed, please send request(s) with a check or credit card number to:

Mr. Charles Rapisarda The National Online Training Center NN/LM Middle Atlantic Region The New York Academy of Medicine 1216 Fifth Avenue New York, NY 10029

Please include your complete address and phone number. If using a credit card, the order may be faxed to 212-534-7042. Checks must be payable to the New York Academy of Medicine and directed to Mr.

Charles Rapisarda's attention. Sorry, no phone orders, purchase orders or invoices. Please direct questions about this service to: notc@nyam.org. The following chapters are currently available for purchase:

**AIDSDRUGS AIDSLINE AIDSTRIALS** ALERT **BIOETHICSLINE CATLINE CHEMLINE** ChemID DIRLINE **ELHILL Searching MEDLINE POPLINE SERLINE** TOXLINE/TOXLIT TOXNET (TOXNET commands, etc.) **CCRIS** DART/ETICBACK IRIS

### **Chapters Also Available Electronically**

The National Library of Medicine is moving towards more electronic publishing of search tools and publications as the use of the Internet increases. The NLM wants to take advantage of new technology especially since it allows staff to easily maintain publications and post timely updates instead of waiting until an entire publication is completed and sent to the printer.

Users who have Internet/ftp capabilities and prefer to download the chapters may do so by connecting to the NLM Home Page (http://www.nlm.nih.gov), selecting NLM Publications, Publications About Using NLM Programs and Services, Online Services Reference Manual. The updated chapters are available electronically in three formats: Adobe Acrobat pdf; WordPerfect 5.1, and PostScript.

### Introduction to Health Services Research: A Class Manual

The National Information Center for Health Services Research (NICHSR) is responsible for developing information services to the research and library communities involved in health services research. Health services research encompasses the difficult issues of

access, quality, and cost of health care. As part of that responsibility, NICHSR has developed a half-day course to introduce librarians to this field. To reach librarians who cannot attend an on-site class, NICHSR has placed the class manual on their home page. To reach the NICHSR home page, open URL: http://www.nlm.nih.gov/about\_nlm/ organization/library\_operations/nichsr/ nichsr.html. Select the "Introduction to HSR: Class Manual" which is under "Outreach and Training." The manual provides definitions of health services research, a short history of the field, and descriptions of key players and research issues. Using a brief problembased format, the manual presents health services research scenarios that librarians can use to formulate search strategies.

Database instructions follow for HealthSTAR, HSTAT, DIRLINE, and HSRProj. Links extend to other Health Services Research Web sites. The manual also provides descriptions of basic study designs to support the librarian's role in evidence-based research projects.

Comments on this manual are greatly appreciated. You can send messages from the Web page or call NICHSR at 301-496-0176.

# Index Medicus, "Black & White" MeSH, L.II, CIM Pricing and Order Information

Index Medicus is a monthly publication in two volumes covering the biomedical literature with references to current articles from 3,093 of the world's biomedical journals. Each monthly issue contains subject and author sections and a separate Bibliography of Medical Reviews. Orders received and processed before October 1, 1997 will receive all back issues for the 1997 year. Orders handled after that date will begin with the January 1998 issue. The Medical Subject Headings ("Black & White MeSH") and List of Journals Indexed (LJI) are included as part of the subscription to Index Medicus. They may also be ordered separately without subscribing to Index Medicus (see below). The 1996 Cumulated Index Medicus (CIM), Volume 37, is a 17volume cumulation of the citations appearing in the 1996 monthly issues of Index Medicus.

### Index Medicus, 1997

GPO Subscription List ID: IM97
Price: \$310.00 (U.S.)
\$387.50 (non-U.S)

### Medical Subject Headings ("Black & White "MeSH)

GPO List ID: IM97 (Medical Subject

Headings) \$63.00 (U.S.) \$78.75 (non-U.S.)

### List of Journals Indexed in Index Medicus, (LII) 1997

GPO List ID: IM97

Price:

(List of Journals Indexed in Index Medicus)

\$22.00 (U.S.) \$27.50 (non-U.S.)

The LJI is also available for anonymous ftp. The 1997 LJI will available in January 1997. See page 19 of this issue for locations.

### **Cumulated Index Medicus (CIM)**

GPO Code: S/N 617-052-00311-2 Price: \$423.00 (U.S.) \$528.75 (non-U.S.)

All of these publications are available from the GPO (Superintendent of Documents, U.S. Government Printing Office). Orders should be sent to:

New Orders Superintendent of Documents P.O. Box 371954 Pittsburgh, PA 15250-7954

Individuals with a Deposit Account, VISA, MasterCard, or Discover who wish to order publications by phone or fax may use the following numbers:

Phone: 202-512-1800 Fax: 202-512-2250

Remittance or deposit account numbers should be included with all orders. To avoid delays, send a separate order for each title requested and include full title, price, and GPO List ID or Number for each item.

# Supplementary Chemical Tool Discontinued

The Medical Subject Headings—Supplementary Chemical Records has been discontinued and will no longer be published. This tool contained the listings for chemicals which have been mentioned in a significant way in journals indexed in MEDLINE. All chemical Names of Substance (NM) are available online in the MeSH vocabulary file. The Chemical Tool was updated annually; however, the online file

is updated throughout the year with chemical Names of Substance. All chemical records in file MeSH, that are not MeSH headings, have an NM field, which is searchable. The NM field displays the exact chemical name used in indexing for the MEDLARS databases. Users are directed to the more up-to-date information online in the MeSH file to replace the discontinued printed volume.

### **TB Index 1996**

The Index for the *Technical Bulletin* for 1996 is now available in print. It is also available electronically via anonymous ftp. A PostScript file is available at URL: ftp://nlmpubs.nlm.nih.gov/nlminfo/newsletters/techbull/ps\_tb/index96.ps or a pdf file is available at URL: ftp://nlmpubs.nlm.nih.gov/nlminfo/newsletters/techbull/pdf\_tb/index96.pdf. It is also available from the NLM Home Page (http://www.nlm.nih.gov) under NLM Publications, NLM Technical Bulletin. Please direct your requests for the print copy to:

Technical Bulletin Index MEDLARS Management Section National Library of Medicine 8600 Rockville Pike Bethesda, MD 20894 Fax: 301-496-0822 E-Mail: mms@nlm.nih.gov

### **Online Codes Map**

A new Online Codes map showing distribution of code holders within the United States is provided as Appendix A of this issue of the *Technical Bulletin*.

# **Errata in the NLM Pricing Schedule**

The MEDLARS Pricing Schedule-Domestic & Non-U.S. Charges (for those who lease NLM data) published in Appendix K of the September-October 1996 *Technical Bulletin* has several minor errors on page 40K. For CHEMLINE®, the royalty charges should read \$0.68 per online citation and \$1.07 per search statement. For TOXLIT® & TOXLIT65 the royalty charge should be \$1.14 per online citation and \$1.82 per search statement. If you are a tape licensee or provide information to tape licensees, you may wish to make these changes in your copy of the *Technical Bulletin*.

### **Searching OLDMED**

- Access OLDMED by entering FILE OLDMEDLINE, or FILE OLDMED at any USER: prompt. Do not shorten the command to: FILE OLD, which will connect you to the OLD MeSH (1996) Vocabulary file.
- The MH (MeSH Heading) field is not directly searchable in OLDMED nor is there an MH field displayed in the record. The original MeSH headings assigned to these citations are searchable in the KW (Keyword) field and that is where they are displayed.

The original MeSH Headings were applied for the purpose of producing the printed *Cumulated Index Medicus*. When searching (as Keywords) they should be considered as equivalent to main concept (starred) MHs. Non-print headings (unstarred), including check tags, were not routinely assigned as original MeSH Headings. For this reason, standard MeSH Headings called Check Tags (e.g., HUMAN, AGED) should not be searched as Keywords (KW), as they do not provide results consistent with MEDLINE searching.

 There are two ways to search for Keywords. The KW field contains the original MeSH headings assigned in 1964 and 1965, e.g., HEART ANEURYSM (KW). There are approximately six MeSH Headings present per citation in the KW field

The KF (Keyword Field Text Words) qualifier can be used to search the individual words present in the KW field, e.g., HEART ANEURYSM (KW) = HEART (KF) AND ANEURYSM (KF). A Keyword may be a single word, HEART or a multiterm word, HEART ANEURYSM; it exactly reflects the old MeSH heading present in the record. The Keyword Field Text Words are always single words. Searching by (KF) is directly comparable to searching by (MHF) MeSH Heading Fragment. Both allow you to look for a single word within a MeSH heading.

- If you do not qualify your search term, the search default is to the Text Word (TW) field. Text Word (TW) retrieval in this file means a single word will be looked for in the Title field and in the KW field, which represents the original MeSH Headings assigned in 1964 and 1965. If you wish to search for a multi-term phrase then you must either qualify it by (KW) or separate the words by AND, e.g., (KW) HEART ANEURYSM, or (KF) HEART AND ANEURYSM, or (TW) HEART AND ANEURYSM (with or without the TW qualification) but not (TW) HEART ANEURYSM and not HEART ANEURYSM (unqualified).
- Be aware that the absence of abstracts in OLDMED, and the fact that fewer MeSH Headings were assigned per article in

1964 and 1965 (approximately six per citation), will affect subject retrieval.

- Multifile searching (MFS) or OFFSEARCH/ SAVE/SAVESEARCH capabilities should probably not be used with subject searches in OLDMED. Because of the lack of MeSH headings and check tags in this file, searches constructed to run in other MEDLINE files, might not produce satisfactory results in OLDMED.
- While in general the 1964 and 1965 data appears in OLDMEDLINE as it appears in the original data, NLM was able to compare the Journal Title Codes (JC) in OLDMEDLINE to the JCs in SERLINE. Where matches were found, current values for Title Abbreviation (TA), Language (LA), and Country Publication (CY) were used to update corresponding OLDMEDLINE citations. Where available, the ISSN from SERLINE was added to corresponding OLDMEDLINE citations.

Several tables and figures follow, which may help in highlighting the distinguishing features in this new file. Table 1 presents the major differences between a MEDLINE record and OLDMED record. Table 2 lists the MEDLINE fields, by name and mnemonic, that are **not** present in an OLDMED record. Figure 1 contains the Unit Record for OLDMED. Table 3 shows the elements that will display with various PRINT commands. And Figure 2 shows a sample search in OLDMED. While this file will not have up to date clinical articles, some classic citations may now be retrieved.

Field	OLDMEDLINE	MEDLINE
Abstract (AB)	No abstracts in OLDMED	Abstracts may be present
Date of Publication (DP)	Directly searchable as (DP) Format: DD MMM YY, e.g., DP - 15 DEC 64 DP - JUL 63	Directly searchable as (DP) Format: YYYY MMM DD, e.g., DP - 1996 Jan DP - 1996 May-Jun DP - 1996 Apr 12-26
	Truncation is not usually useful.	Truncation may be useful, e.g., (dp) 1996 Apr: finds all 96 Apr
Entry Month (EM)	Directly searchable as (EM) Format: 6 digit value YYYYMM, e.g., 196412 (EM)	Directly searchable as (EM) Format: 4 digit value YYMM, e.g., 9612 (EM)
Keyword Field Text Words (KF)	Directly searchable as (KF) Single word terms only	Not present
Keywords (KW)	Directly searchable; contains old MHs May be single word or multi-word phrases	Not present
MeSH Headings (MH)	No MH field; MHs are in the KW field	Directly searchable; EXPLODABLE
Text Words (TW)	Directly searchable as (TW) Single word terms generated from: TI and KW fields	Directly searchable as (TW) Single word terms generated from TI, AB, MH, NM fields
Year (YR)	Directly searchable as (YR) Format: YYYY, e.g., 1964 (YR)	Directly searchable as (YR) Format: YY, e.g., 96 (YR)

Table 1 - Comparing OLDMEDLINE to MEDLINE. This table highlights the differences between the files.

Note that the following MEDLINE fields do NOT exist in OLDMED:				
AA	Abstract Author	МН	MeSH Heading	
AB	Abstract	NI	No-Author Indicator	
AD	Address	NM	Name of Substance	
CM	Comments	PT	Publication Type	
DA	Date of Entry	RF	Number of References	
GS	Gene Symbol	RN	CAS Registry/EC Number	
ID	ID Number	RO	Record Originator	
IP	Issue/Part/Supplement	SB	Journal Subset	
LI	Special List Indicator	SH	Subheadings	
LR	Last Revision Date	SI	Secondary Source Identifier	

Table 2 - Fields Not Present in OLDMED

CATEGORY QUALIFIER	ELEMENT NAME	SEARCH STATUS	PRINT	PRINT FULL	PRINT DETAILED
AU	AUTHOR	*	Υ	Υ	Υ
CY	COUNTRY OF PUBLICATION	*	N	Ν	Υ
DP	DATE OF PUBLICATION	*	Ν	N	Υ
EM	ENTRY MONTH	*, R	N	N	Υ
IS	ISSN	*	Ν	N	Υ
JC	JOURNAL TITLE CODE	*	Ν	N	Υ
KW	KEYWORDS	*, KF, TW	Ν	Υ	Υ
LA	LANGUAGE	*	Ν	Υ	Υ
PG	PAGINATION		Ν	N	Υ
PS	PERSONAL NAME AS SUBJECT	*	Ν	Υ	Υ
SO	SOURCE		Υ	Υ	Υ
TA	TITLE ABBREVIATION	*	Ν	Ν	Υ
TI	TITLE	TF,TW	Υ	Υ	Υ
TT	TRANSLIT/VERNAC TITLE		Υ	Υ	Υ
UI	UNIQUE IDENTIFIER	*, R	Υ	Υ	Υ
VI	VOLUME ISSUE		N	Ν	Υ
YR	YEAR	*	N	N	Υ
* = DIREC	TLY SEARCHABLE N =	NO			
KF = KEYW	ORD FIELD TEXT WORDS				
	WORD SEARCHABLE Y =	YES			
TF = TITLE I	FIELD TEXT WORDS R =	RANGEABLE			

Figure 1 - OLDMED Unit Record

This	chart illustrates the field displays for various	PRINT commands for OLDMED.
PRINT PRT	UI, AU, ΤΙ, ΤΤ, SO	
PRINT FULL PRT FU	UI, AU, TI, TT, LA, KW, PS, SO	
PRINT DETAILED PRT DL	UI, AU, TI, TT, LA, KW, PS, SO, TA, DP, VI, PG, IS, CY, JC, EM	
PRINT ABSTRACT PRT ABSTR PRT AR	UI, AU, ΤΙ, ΤΤ, SO	<ul> <li>PRT ABSTR gives the same display as PRT in OLDMED. The command exists so the searcher who unthinkingly gives it, will still get retrieval, instead of a NO ABSTRACT message.</li> </ul>
PRINT BROWSE PRT BR	TI	

**Table 3 - Print Formats** 

```
SS 1 /C?
USER:
file oldmed
PROG:
YOU ARE NOW CONNECTED TO THE OLDMEDLINE (PRE-1966 CUMULATED INDEX
MEDICUS) FILE.
SS 1 /C?
USER:
all debakey m: (au) and transplantation (kf)
PROG:
SS (1) PSTG (9)
SS 2 /C?
USER:
prt 1 dl
PROG:
1
        65084600
UI
ΑU
        DEBAKEY ME
ΑU
        JORDANGL JR
AU -
        BEALLAC JR
ΑIJ
        O'NEAL RM
        ABBOTT JP
ΑU
ΑU
        HALPERT B
        BASIC BIOLOGIC REACTIONS TO VASCULAR GRAFTS AND PROSTHESES.
ΤI
LA
        ENG
KW -
        AORTA
KW -
        BLOOD VESSEL PROSTHESIS
                                            • Transplantation (KF) retrieves on
KW -
        BLOOD VESSEL TRANSPLANTATION
KW -
        DOGS
                                               all occurences of Transplantation
KW -
        HEART VALVE PROSTHESIS
                                               in the KW field.
KW -
        PLASTICS
KW -
        SWINE
KW -
        TRANSPLANTATION IMMUNOLOGY
KW -
        TRANSPLANTATION, HETEROLOGOUS
KW -
        TRANSPLANTATION, HOMOLOGOUS
        SURG CLIN NORTH AM
ТΔ
DP
        APR 65
۷I
        45
PG
        477-97
IS
        0039-6109
CY
        UNITED STATES
JC
        VAN
```

Figure 2 - Sample Search in OLDMED

SURG CLIN NORTH AM APR 65;45:477-97

ΕM

SO

196507

### **Future Plans for OLDMED**

While the OLDMED database may contain older data, it is a new database, and it will continue to grow. NLM expects to add citations from earlier years of Index Medicus as resources permit. NLM will begin the effort to add citations from 1963 and 1962 CIM during 1997. NLM has begun work on making interlibrary loan available for this file as well as offline print capabilities. The \$DSFILE command is operational in OLDMED. Watch the online news for the most up-to-date announcements.

The OLDMEDLINE database is expected to be available for leasing in 1998.

NLM will evaluate user response to OLDMED, and will consider enhancements to the data as resources permit. We welcome your comments on, and suggestions for improving OLDMEDLINE. --prepared by Jan Willis MEDLARS Management Section

November-December 1996

### **BIOETHICSLINE Includes MEDLINE Records**

Beginning with the 9612 Entry Month (EM), **BIOETHICSLINE** incorporates selected records downloaded from MEDLINE. A subject strategy is run against the MEDLINE file each month to pull candidate citations for the BIOETHICSLINE database. The MEDLINE-derived records are modified and augmented by the BIOETHICS Information Retrieval Project Staff to conform in content appearance with original BIOETHICSLINE records. Table 1 shows some of the modified fields. In addition to the multiply occurring Secondary Source ID (SI) field, containing KIE and MEDKIE values, other fields added to the downloaded records are shown in Table 2.

Field Name	Mnemonic	Modification
Author	AU	Expanded from last name and initial(s) to the author's name as it appears on the article.
Title	TI	Edited for capitalization and punctuation.
Volume/Issue	VI	Augmented with an issue number when available; there is no IP field in BIOETHICSLINE.
Pagination	PG	Expanded to include the full page range, e.g., 1604-5 expanded to 1604-1605.

Table 1 - Some MEDLINE Fields Modified in BIOETHICSLINE

### Secondary Source ID (SI) Field

MEDLINE-derived records are identified in the Secondary Source ID (SI) field by the prefix MEDKIE followed by the MEDLINE Unique Identifier number, e.g., MEDKIE/96298970. As of the end of November, there were 48 records in the file downloaded from MEDLINE. As with all BIOETHICSLINE records, each downloaded record also includes an SI assigned by the Bioethics Information Retrieval Project and identified by the prefix KIE followed by a five-digit number, e.g., KIE/51299.

Citations pulled by the bioethics subject strategy that are from journals not subscribed to by the National Reference Center for Bioethics Literature will use the MEDLINE record as the core of the BIOETHICSLINE citation. These records will have the value MEDKIE in the SI field. Citations from journals subscribed to by the Center may or may not use the MEDLINE record, depending on where the journal is indexed more quickly. If for example, Journal of Medical Ethics (a title subscribed to by the Center) is not in MEDLINE at the time the Bioethics Information Retrieval Project is ready to index it, an original record will be created and the citation will have an SI of KIE.

# Eliminating the MEDLINE Overlap

The strategy to eliminate the MEDLINE overlap takes the form of X AND NOT MEDKIE: where X may be a search

Field Name	Mnemonic	Description
Corporate Name (as Author)	CN	Contains the names of organizations, etc., responsible for the authorship of a document.
Title of Journal	TJ	Provides the option of searching on, viewing and/or printing the full title of a journal.
Keywords	KWD, KWP, KWI	Adds indexing/searching terms from the Bioethics Thesaurus (KWD), terms under consideration for the Thesaurus (KWP), and proper name Keywords (KWI). Although the data is stored in three separate fields, all are searchable with KW.
Subject Caption	sc	Allows searches on broad subject areas or general approaches within the bioethics literature.

Table 2 - Some of BIOETHICSLINE's Unique Fields

statement number or a search term. However, please remember, the BIOETHICS file covers from 1973 forward and MEDLINE-derived records begin with 9612 (EM) and currently constitute only a very small portion of the file. Also keep in mind that this strategy cannot eliminate citations from MEDLINE journals that receive original indexing by the Bioethics Project. Finally, searchers should be aware that eliminating MEDLINE-derived records from a BIOETHICSLINE search may lose retrieval of desired citations because of differences in indexing patterns between the two databases. For example, if a MEDLINEderived citation is retrieved by a strategy using a non-MeSH Keyword and if you eliminate MEDLINE citations, you would lose the citation even though you hadn't retrieved it in MEDLINE.

The capacity to download MEDLINE eliminates the need for the Bioethics Information Retrieval Project to create records for many of the journal article citations that are common to both databases. In addition, downloading MEDLINE records adds many more Abstracts (AB) to BIOETHICSLINE, which previously included this field only in records for court decisions and about 30 selected journal titles.

--prepared by Tamar Joy Kahn and Cecily Orr Kennedy Institute of Ethics Georgetown University

### **RISKLINE:** the Newest TOXLINE® Subfile

RISKLINE, a bibliographic file covering the broad areas of toxicology and ecotoxicology, joined TOXLINE in August 1996. Created by KEMI (the Swedish National Chemicals Inspectorate), RISKLINE's records contain standard author, title, source information and, often, abstracts, fairly detailed index terms, and CAS Registry Numbers.

KEMI has drawn references for RISKLINE from a carefully selected international set of peer reviewed documents, which routinely present highly evaluated reports on individual or groups of chemicals. Publications covered in RISKLINE, according to KEMI, by country, include:

#### **AUSTRALIA**

NICNAS (National Industrial Chemicals Notification and Assessment Scheme) - Worksafe Australia. National Occupational Health & Safety Commission. Priority Existing Chemicals

#### **BELGIUM**

ECETOC - European Centre for Ecotoxicology and Toxicology of Chemicals. Technical Reports. Joint assessment of commodity chemicals.

### **CANADA**

Canadian Environmental Protection Act (Health and Welfare Canada) Canadian Water Quality Guidelines (Environment Canada) NRCC (National Research Council of Canada) - National Publications

### DENMARK

NORD (Nordic Council of Ministers)
Documents

### FRANCE

International Agency for Research on Cancer (IARC), World Health Organization - IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans

### **GERMANY**

BG Chemie - Berufsgenossenschaft der chemischen Industrie - Toxikologische Bewertungen

BUA - Beratergremium fur umweltrelevante Altstoffe

DFG - Deutsche Forschungsgemeinschaft - Datensammlung zur Toxikologie der Herbizide MAK (Maximale Arbeitsplatz-Konzentrationen) - Senatskommission der Deutschen Forschungsgemeinschaft zur Prufung gesundheitsschadlicher Arbeitsstoffe. Institut fur Toxikologie.

### **ITALY**

FAO - Food and Agriculture Organization of the United Nations. WHO Expert Group on Pesticide Residues - FAO Plant Production and Protection Paper.

#### LUXEMBOURG

Commission of the European Community, Health and Safety Directorate - Occupational Exposure Limits

#### NETHERLANDS

Dutch Expert Committee for Occupational Standards Documents RIVM (National Institute for Public Health and Environmental Protection) Integrated Criteria Documents

#### **SWEDEN**

Arbete Och Halsa (Criteria Documents) National Chemicals Inspectorate -KEMI Reports

### **SWITZERLAND**

World Health Organization - International Programme on Chemical Safety (IPCS), United Nations Environmental Programme (UNEP), World Health Organization (WHO) -Environmental Health Criteria World Health Organization - Joint FAO/ WHO Expert Committee on Food Additives - WHO Food Additives Series

#### UNITED KINGDOM

Association Toxicology International -BIBRA Toxicity Profiles HSE (Health and Safety Executive) - HSE Toxicity Review TSD (Toxic Substances Division), Directorate for Air, Climate and Toxic Substances, Department of Environment - TSD Environmental Hazard Assessment

British Industrial Biological Research

#### UNITED STATES

ACGIH - American Conference of Governmental Industrial Hygienists -Documentation of the Threshold Limit Values and Biological Indices ATSDR - Agency for Toxic Substances and Disease Registry Documents EPA - Ambient Water Quality Criteria. Health Assessment documents. Health effects assessment documents. Exposure and Risk Assessment documents.

Journal of the American College of Toxicology - Final Reports National Academy of Sciences - Medical and Biological Effects of Environmental Pollutants

NCI (National Cancer Institute), NTP (National Toxicology Program) -Technical Report Series NIOSH (National Institute for Occupational Safety and Health) -Criteria for a Recommended Standard

### Indexing Terms used in the Keyword Field

Following are lists of RISKLINE's controlled indexing terms, all of which are searchable within TOXLINE's KW (Keywords) field. The bracketed terms indicate terms that are at the head of a tree-like structure (the brackets do not appear in the online record). The indented terms underneath will cooccur, in the Keywords field, with all the terms listed above and to the left of them. For example, the unique phrase "acute toxicity" would be preceded by ANIMAL in the KW field. See Figure 1 for a sample record that illustrates this point.

There are different levels of indention. <ENVIRONMENT> has two levels of indention. Therefore, a record with the unique keyword "algae" will also contain the keywords "AQUATIC" and "ENVIRONMENT". Users should be aware that some keywords appear in two places in the list below. AQUATIC appears in capital letters as a category under <ENVIRONMENT> and it also appears in lower case as a more specific term under BIOACCUMULATION.

### Toxicology Keywords

<ANIMAL>

acute toxicity subacute toxicity subchronic toxicity chronic toxicity irritancy hypersensitivity immunotoxicity carcinogenicity

carcinogens genetic toxicity mutagens reproductive and developmental tests teratogens embryo-fetal toxicity reproductive effect metabolism <HUMAN> epidemiological study case report occupational exposure acute effect chronic effect irritancy hypersensitivity immunotoxicity carcinogenic effect genetic effect teratogenic effect embryo-fetal effect reproductive effect metabolism <ENVIRONMENT> TERRESTRIAL TOXICITY vertebrate invertebrate plants microorganisms **AQUATIC** fish

### **Ecotoxicology Keywords**

invertebrate plant algae

microorganisms

### **ENVIRONMENTAL CONCENTRATIONS**

air water soil/sediment biota

BIOACCUMULATION

aquatic terrestrial

### **BIOAVAILABILITY**

### DEGRADATION air

water soil/sediment

biota

**MOBILITY** air soil/sediment

### Supplementary Terms

The searchable terms below are grouped into broad categories which are not themselves searchable and do not appear in the record.

### ORGAN TERMS (not searchable)

cardiovascular system endocrine gland

gastrointestinal system immune system

mammary gland

musculosceletal system (sic)

[Editor's note: Musculosceletal is also spelled this way in the RISKLINE KW field.]

mucous membrane nervous system

pancreas

reproductive system respiratory system

skin spleen urinary tract

### **USE TERMS** (not searchable)

aerosol propellants automobile exhaust cosmetics drugs dust

dyes enzymes fibres fume

flame retardants

food paint pesticides solvents

sweetening agents

tobacco tobacco smoke tobacco smokeless

vapour wood

### **INDUSTRY TERMS (not searchable)**

ceramic industry chemical industry drycleaning dye industry glass industry hair dresser leather industry metallurgy mining paint industry

paper and pulp industry petrochemical industry plastic industry printing industry rubber industry steel industry textile industry viscose rayon industry

### OTHER RELEVANT TERMS (not searchable)

cocarcinogenesis derivatives dose effect dose response extrapolation initiation isomers metabolites promotion risk assessment

### Searching in the RISKLINE Subfile

The subfile acronym for RISKLINE is KEMI. Thus, one can limit a search to RISKLINE by coordinating the appropriate search terms with KEMI (SI). Note: When TOXLINE is rebuilt in early 1997, the acronym in the SI (Secondary Source ID) field will change from "KEMI" to "RISKLINE." For example, to search for RISKLINE references on endocrine gland toxicity, one would now enter - KEMI (SI) and endocrine gland (KW). After the file is rebuilt this will change to RISKLINE (SI) and endocrine gland (KW). A TOXLINE search (in the RISKLINE subfile) for BIBRA documents on propylene glycol (with CAS Registry Number 57-55-6) could be conducted as shown in Figure 1.

The initial loading of RISKLINE into TOXLINE contained 5,612 records. RISKLINE will be updated quarterly.

More specific information on the data in RISKLINE is available from its producer:

**KEMI (Swedish National Chemicals** 

Inspectorate) Library

Elisabeth Malmberg P.O. Box 1384

S-171 27 Solna, Sweden

Phone: 46 (8) 730 5700 Fax: 46 (8) 735 76 98 E-Mail: elisam@kemi.se

--prepared by Philip Wexler Division of Specialized Information Services

```
SS 1 /C?
USER:
file toxline
YOU ARE NOW CONNECTED TO THE TOXLINE (1981 FORWARD, NON-ROYALTY) FILE.
SS 1 /C?
USER:
kemi (si)

    After the file is rebuilt in 1997, you should

                                             search on riskline (si) for the RISKLINE subset.
PROG:
SS (1) PSTG (5612)
SS 2 /C?
USER:
nbr bibra (au)
PROG:
SELECT # POSTINGS
                         TERM
                         BIBOW K
  1
            4
  2
           10
                         BIBR B
  3
          458
                         BIBRA WORKING GROUP
  4
            2
                         BIBRING P
                         BIBRO MC
  5
UP N OR DOWN N OR ENTER A SELECT COMMAND.
USER:
select 3
PROG:
SS (2) PSTG (458)
SS 3/C?
USER:
1 and 2 and 57-55-6
PROG:
SS (3) PSTG (1)
SS 4 /C?
USER:
prt dl compr
PROG:
1
   - KEMI/96060006
SI
AU - BIBRA working group
ΤI

    Propylene Glycol

SO - Toxicity profile. BIBRA Toxicology International; 1996; 16 p
LA - Eng
AB - In man, propylene glycol has caused skin and mucous membrane irritation. It has produced skin sensitization reactions in several
       individuals and when taken orally can also induce skin rashes. Administration by the oral or injection routes was associated with severe
       effects on the central nervous system and metabolic disruptions. Blood effects (excessive osmotic pressure) resulted from repeated
       intravenous injections or applications to damaged skin. The glycol was minimally irritating to the eyes of rabbits. A low acute toxicity
       has been demonstrated in laboratory animals treated orally; damage to the intestine and kidney and symptoms involving the central
       nervous system were the principal findings. Repeated exposure of rats to a propylene glycol aerosol produced local injury. The blood
       was the main site of injury in cats and dogs given multiple oral doses, with evidence of red blood cell damage being noted. Effects on
       the blood, liver, kidney and caecum of rats were reported in studies involving repeated oral administration. At high and maternally
       toxic dietary concentrations, propylene glycol induced reproductive effects in rats. No malformations were seen in a range of species
       when pregnant animals were treated orally. There was no evidence of carcinogenicity in rats treated by repeated oral administration,
       and more limited skin-painting studies in mice and rabbits also failed to detect carcinogenic potential. Propylene glycol was not
       mutagenic in Ames bacterial assays. It gave indications of a weak action on the chromosomes of mammalian cells in culture. Studies
       of chromosomal effects in rodents treated orally or by injection have, in general, given negative results.
KW - ANIMAL; acute toxicity; subacute toxicity; chronic toxicity; irritancy; carcinogenicity; genetic toxicity; reproductive and
       developmental tests; reproductive effect; eye; gastrointestinal system; urinary tract; nervous system; blood; liver; HUMAN; acute
       effect; irritancy; hypersensitivity; metabolism; skin; mucous membrane; nervous system; cardiovascular system
RN - 57-55-6
EM - 9608
```

Figure 1 - Searching RISKLINE for a Chemical and an Author

### **Rebuilding of CATLINE®/AVLINE®**

The rebuilding of the CATLINE and AVLINE databases in December 1996 primarily involves changes to MeSH headings.

The only other changes are:

- (1) The addition of the genre terms to the Publication Type (PT) field in CATLINE and AVLINE, where they are directly searchable. The genre terms continue to appear in a General Note (GN), preceded by the label "Genre:".
- (2) A format change to standardize the capitalization and punctuation in certain occurrences of the Preservation Action Note (PRS) field in CATLINE. This processing involves only the display of the PRS; it does not affect searching.

These changes appeared online on December 16, 1996.

# Data Changes Applicable to CATLINE and AVLINE

Changes were made to MeSH Headings (MH) in CATLINE and AVLINE corresponding to the changes made in 1997 MeSH. Records which were modified by at least one of these heading changes now contain "96" in the Class Update (CU) field.

To improve searching access to genre concepts, genre terms, which previously appeared only in the General Note (GN) field beginning with the label "Genre:", now also appear in the Publication Type (PT) field.

With this change, genre terms are directly searchable in CATLINE and AVLINE. This change is being made retrospectively, so that all records containing genre information may be retrieved by searching the valid genre concept, qualified by the mnemonic (PT). The new genre Publication Types are listed on pages I-16 - I-23 in the 1997 *Annotated MeSH*.

Examples of these changes in existing CATLINE and AVLINE records are shown below:

**CATLINE** record

UI - 9516544

GN - Genre: Addresses.

Is changed to:

UI - 9516544

GN - Genre: Addresses.

PT - ADDRESSES

This value in the PT field is searchable as: addresses (pt).

**AVLINE** record

UI - 9614721

GN - Genre: Documentaries and Factual

Is changed to:

UI - 9614721

GN - Genre: Documentaries and Factual Films.

PT - DOCUMENTARIES AND FACTUAL FILMS

This value in the PT field is searchable as: documentaries a#d factual films (pt).

# Data Changes Applicable to CATLINE Only

Minor format changes were made to the Preservation Action Note (PRS) field which provides information on the status of the preservation microfilming of an item. These format changes include capitalization of the initial word in each occurrence of the field, standardization of field subelement marking and punctuation between subelements when they occur, and normalization of ending punctuation. The intent of these format changes is to improve the readability of those PRS notes which began with the phrase "will reformat" in CATLINE screen and print displays. This modification went into affect for new titles added to NLM's preservation program during a mid-year upgrade and has now been applied retrospectively to all data in the Preservation Action Note (PRS) field.

Examples of these changes follow:

Old format of note:

PRS - will reformat;/19950907

Is changed to:

PRS - Will reformat;/19950907.

Old format of note:

PRS - will reformat;/198711/57-59 1941-

Is changed to:

PRS - Will reformat;/198711;//57-59 1941-1943.

These modifications do not affect the searching of the Preservation Action Note (PRS) field, which remains directly searchable.

--prepared by Marti Scheel Technical Services Division

### **Grateful Med for Windows®**

NLM has just released Version 1.0 of Grateful Med for Windows. This program currently provides access to MEDLINE (back through 1966) only. People who have tested the program have been overwhelmingly positive in their response to its new features, particularly the number of options for tailoring the search and retrieval process to your needs. Version 1.0 will run on Windows 95, Windows 3.x, and Windows NT.

Please note that if you currently use a Grateful Med screen to search databases other than MEDLINE (i.e., AIDSLINE,

HealthSTAR, CANCERLIT, etc.) and you do not know the MEDLARS command language, you should also keep your current version of Grateful Med, to retain user-friendly access to these files.

If you are a registered user of the DOS version of Grateful Med and have returned the GM for Windows request card that you received earlier this year, you will be sent a copy of Version 1.0 in January 1997. Request cards were sent to all users in the Spring of 1996 and again (to those that did not respond) in November 1996. If you have misplaced your card, please send your name

and address, with a request for **one** of the following products, to the NTIS address shown below:

- Grateful Med for Windows Version 1.0
- A 1997 MeSH update for the DOS version of Grat ed (only if you can not use Windows software)

NTIS Grateful Med Subscriptions 5285 Port Royal Road Springfield VA 22151-9907 Grateful Med for Windows Version 1.0, or the alternative MeSH update for the DOS version, will be sent to only those who specifically request it. NLM will not send a new version of Grateful Med to all registered users automatically, as it has done in past years. A number of request cards were sent back to NTIS without the part of the card containing the sender's (Grateful Med user's) name and address. In these cases we do not know who has made the request. You will have to resend your request to NTIS as described on the previous page.

If you prefer, you may download the Grateful Med software and User Guide:

- from NLM's World Wide Web site at http://www.nlm.nih.gov
- or by anonymous ftp from gmedserv.nlm.nih.gov in the directory grateful/windows

--prepared by Kathi Canese MEDLARS Management Section

### More on MeSH®

### **New Heading Notes**

There were 350 new MeSH headings created for the 1997 MeSH, representing concepts with no directly corresponding headings in the 1996 MeSH. The list of MeSH headings noted below is not comprehensive. It is intended to highlight a few of the distinctions that might otherwise escape the reader's notice. All searchers are encouraged to look over the complete listing of the new headings with their scope notes in the 1997 Annotated MeSH and to read the "Coming Attractions in MeSH" article, on pages 5-7, in the September-October 1996 Technical Bulletin.

#### **Acids, Singular and Plural**

For the following three terms, MeSH Headings exist for the acids in both the singular and plural forms. The terms ending in the singular form, acid, refer to a specific acid. The terms ending in the plural form, acids, refer to a category of acids. The two should not be confused.

#### ACETIC ACID vs. ACETIC ACIDS

The new heading, ACETIC ACID, is defined as the product of the oxidation of ethanol and of the destructive distillation of wood. Acetic acid is more commonly known as vinegar. It is used locally, occasionally internally, as a counteriritant and also as a reagent. The already existing heading, ACETIC ACIDS, is used for derivatives of acetic acid which may be formed by substitution reactions.

### OLEIC ACID vs. OLEIC ACIDS

The new heading, OLEIC ACID, is used to describe a specific unsaturated fatty acid that is the most widely distributed and abundant fatty acid in nature. It is used commercially in the preparation of oleates and lotions, and as a pharmaceutical solvent. The already existing heading, OLEIC ACIDS, is used for a group of fatty

acids that contain 16 carbon atoms and a double bond at the omega-9 carbon.

#### PALMITIC ACID vs. PALMITIC ACIDS

The new heading, PALMITIC ACID, is used to describe a particular saturated fatty acid. The existing heading, PALMITIC ACIDS, is used to describe a group of 16-carbon fatty acids that contain no double bonds.

### ANATOMY, CROSS-SECTIONAL

The Visible Human Project is a <u>see</u> reference to this new heading.

#### **AROMATHERAPY**

This new term was added at the request of alternative medicine researchers. It is defined as the use of fragrances and essences from plants to affect or alter a person's mood or behavior and to facilitate physical, mental, and emotional well-being. The chemicals comprising essential oils in plants have a host of therapeutic properties and have been used historically in Africa, Asia, and India. It has been treed under both ALTERNATIVE MEDICINE in Category E2 and PSYCHOTHERAPY in Category F4.

#### ESCHERICHIA COLI 0157

Please note that in the new heading ESCHERICHIA COLI O157 (a bacterium causing severe food-borne diseases) that the first character in the alphanumeric string following COLI is the letter O **not** the number 0.

### MECHANICS vs. BIOMECHANICS

The new MeSH heading, MECHANICS (H1.671.515), is used to describe the motions of material bodies, including kinematics, dynamics, and statics for materials, machines, and other inanimate objects. The already existing, BIOMECHANICS (H1.671.100.131), is used when the laws of mechanics are applied to living structures.

Two new trees were created under BIOMECHANICS and MECHANICS. They are identical and incorporate some existing MeSH headings (ELASTICITY, FRICTION,

KINETICS) previously treed under PHYSICS and two new headings (described below). The difference in the trees informs the knowledgeable searcher as to whether the described property (e.g., TENSILE STRENGTH) is present in a living subject (BIOMECHANICS tree) or an inanimate object (MECHANICS tree).

COMPRESSIVE STRENGTH and TORQUE are the new headings in the BIOMECHANICS/MECHANICS trees. TORQUE was added at NASA's request but its use is not limited to space flight. TORQUE could be applied to human bone (BIOMECHANICS) or the metal skin of a spacecraft (MECHANICS). COMPRESSIVE STRENGTH was created as part of the overall revision of the dentistry terms. When used to describe the properties of a dental filling, it would be treed as an inanimate property under MECHANICS.

#### MEDICAL ERRORS vs. MALPRACTICE

MALPRACTICE is the failure of a professional person to render proper services through reprehensible ignorance or negligence or criminal intent. The new heading, MEDICAL ERRORS, is used for honest mistakes or accidents committed by health professionals that harm the patient, but lack the characteristics that define MALPRACTICE. DIAGNOSTIC ERRORS, MEDICATION ERRORS and OBSERVER VARIATION are existing headings that have been treed under MEDICAL ERRORS.

### MIND-BODY RELATIONS (MEIAPHYSICS) vs. MIND-BODY RELATIONS (PHYSIOLOGY)

MIND-BODY RELATIONS (METAPHYSICS) is a new heading used to define the relation between the mind and the body in a religious, social, spiritual, behavioral, and metaphysical context. This concept is significant in the field of alternative medicine.

MIND-BODY RELATIONS (PHYSIOLOGY) is a <u>see</u> reference to PSYCHOPHYSIOLOGY, the study of the physiological basis of human and animal behavior (i.e., the relationship between the brain (mind) and the physiology of the body). The searcher is cautioned not to confuse them.

### POLYPHARMACY vs. DRUG THERAPY, COMBINATION

The new heading POLYPHARMACY should not be confused with the existing heading DRUG THERAPY, COMBINATION. POLYPHARMACY may be thought of as the health professional's need to be aware of all of the drugs which have been prescribed for a patient by one or more other doctors; these drugs may be used to treat various conditions which coexist. DRUG THERAPY, COMBINATION refers to using more than one drug to treat a specific, single condition.

#### **PSEUDOLYMPHOMA**

The new heading PSEUDOLYMPHOMA is in the C15 tree not the C4 tree because by definition it refers to a non-neoplastic mass that is suggestive of a malignant lymphoma. However, it is a term you may wish to consider if you are running a search on the diagnosis of lymphoma, since it is a look-alike condition.

### TOOTH ATTRITION, TOOTH ABRASION, and TOOTH EROSION

The new heading, TOOTH ATTRITION, is defined as the wearing away of a tooth as a result of tooth-to-tooth contact, as in mastication, occurring only on the occlusal, incisal, and proximal surfaces. It is chiefly associated with aging. It is differentiated from TOOTH ABRASION, the pathologic wearing away of the tooth substance by friction, as in toothbrushing, bruxism, clenching, and other mechanical causes and from TOOTH EROSION, the loss of substance caused by chemical action without bacterial action.

# TEMPOROMANDIBULAR JOINT DYSFUNCTION SYNDROME vs. TEMPOROMANDIBULAR JOINT DISORDERS

Both of these terms are new for 1997. TEMPOROMANDIBULAR JOINT DYSFUNCTION SYNDROME is described as a symptom complex consisting of pain, muscle tenderness, clicking in the joint, and limitation or alteration of mandibular movement. The symptoms are subjective and manifested primarily in the masticatory muscles rather than the temporomandibular joint itself. The emphasis is placed on the muscles. **TEMPOROMANDIBULAR** DISORDERS is reserved for describing the conditions affecting the anatomic and functional characteristics of the temporomandibular joint.

### **Hedges**

Hedges are created to bring together related headings in a specific field that cross categories. That is, given the heading EYE in Category A (anatomy), one would also be interested in:

EYE DISEASES in Category C (diseases) RETINOGRAPHY in Category E1 (diagnostic technics)

CATARACT EXTRACTION in Category E4 (the surgery of eye diseases)

MYDRIATICS in Category D (drugs or chemicals significant in ophthalmology) and so forth. A Hedge gathers together headings from different trees, that are related to each other by subject.

It can be useful to bring together important related new concepts in the form of Hedges, rather than to present them in unrelated alphabetical order. It may be somewhat easier to remember that these new headings exist when they appear in a single place. The following is a Hedge of new headings for SPACE MEDICINE. They are printed loosely in the order of the tree categories in which the new terms appear.

### SPACE MEDICINE Hedge

### Category B

GREEN SULFUR BACTERIA PLANT EPIDERMIS

### **Category G**

COSMIC DUST HEAD MOVEMENTS HINDLIMB SUSPENSION

### **Category H**

ELEMENTARY PARTICLE INTERACTIONS EVOLUTION, CHEMICAL EVOLUTION, PLANETARY SOLAR ACTIVITY TORQUE

Category J

SPACE SUITS

# MOLECULAR SEQUENCE DATA Indexing Change

With the approval of the National Center for Biotechnology Information, the threshold levels for indexing with the heading MOLECULAR SEQUENCE DATA are being raised effective with 1997 indexing. It will no longer be necessary to index any nucleotide primers or probes with this heading. Citations will be indexed with MOLECULAR SEQUENCE DATA only if the sequences discussed meet the following criteria:

- Base sequences contain at least 50 bases.
- Amino acid sequences contain at least 15 amino acids.
- Carbohydrate sequences contain trisaccharides or higher.

Articles containing significant discussions of sequences shorter than the criteria shown in the table below will still be indexed with AMINO ACID SEQUENCE, BASE SEQUENCE or CARBOHYDRATE SEQUENCE, as appropriate, but they will **not** also receive the MOLECULAR SEQUENCE DATA heading.

The annotation at MOLECULAR SEQUENCE DATA will be modified for **1998**. You may wish to note the change in your *Annotated MeSH*, 1997.

A summary of the changes is shown in the table below:

### Table of Changes in Criteria for Using MOLECULAR SEQUENCE DATA

	<u>Old Criteria</u>	<u>1997 Criteria</u>
Base Sequence	9 or more bases (nucleotides)	50 or more bases
Amino Acid Sequence	3 or more amino acids	15 or more amino acids
Carbohydrate Sequence	2 or more sugars (saccharides)	3 or more sugars

### **Tumor Key 1997 Changes**

The NLM Index Section uses a tool called the *Tumor Key*, to assist in the indexing of tumors and cancers occurring in the literature but without corresponding MeSH headings. The *Tumor Key* lists the names of neoplasms coded and authorized first by the American Cancer Society and later by the World Health Organization. The *Tumor Key* was last revised in 1993 and published in 1994 to update all entries in accordance

with the *International Classification of Diseases for Oncology (ICD-O)*, 2d edition. The 1994 *Tumor Key* is available for purchase (\$21.50 plus shipping charge) from the National Technical Information Service (800-423-9255); the order number is PB94-107703.

The following changes in the 1997 MeSH should be added to your copy of the 1994

*Tumor Key*. The numbers indicate the pages in the *Tumor Key* where the changes should be made. A new addition of the *Tumor Key* is not being issued at this time.

A portion of this material was adapted from the 1997 MeSH Overview prepared by Thelma Charen for NLM indexing staff; her contribution to this article is gratefully acknowledged.

--prepared by Toby Port MEDLARS Management Section

### **Table of Tumor Key Changes**

Page	Tumor Name		MeSH Indexing
9	cancer, residual	-	NEOPLASM, RESIDUAL + specific histological type
11	carcinoma, ductal in situ	-	CARCINOMA, INFILTRATING DUCT + CARCINOMA IN SITU
29	gynandroblastoma	<u>see</u>	NEOPLASMS, GONADAL TISSUE
31	leucosarcoma	-	LEUKEMIA
33	leukemia, large granular lymphocytic	<u>see</u>	LEUKEMIA, LYMPHOCYTIC
34	leukemia, lymphocytic, large granular	<u>see</u>	LEUKEMIA, LYMPHOCYTIC
38	leukosarcoma	<u>see</u>	LEUKEMIA
39	lymphocytoma	<u>see</u>	PSEUDOLYMPHOMA (not neoplastic)
48	neoplasia, prostatic intraepithelial	<u>see</u>	PROSTATIC INTRAEPITHELIAL NEOPLASIA
49	neoplasm, hematologic	-	HEMATOLOGIC NEOPLASMS
53	oncocytoma	<u>see</u>	ADENOMA, OXYPHILIC
57	pseudolymphoma	-	PSEUDOLYMPHOMA (not neoplastic)

### **MeSH Errata**

Four MeSH Headings are missing from the 1997 Annotated Alphabetic MeSH. They are present in the Permuted MeSH and in the Tree Structures. Please notify Stuart Nelson, MD, Head, Medical Subject Headings, email: nelson@nlm.nih.gov, if any other headings are noted as omitted from the publication. The Annotated Alphabetic MeSH version of the records for the omitted headings are shown in the table to the right.

--prepared by Stuart Nelson, M.D. MeSH Section

### Table of Headings Missing from the 1997 Annotated MeSH

#### p-Aminosalicylic Acid

D2.241.223.106.505.700.50.60 D2.755.410.700.50.60 D2.241.511.390.700.50.60

an antituberc agent; DF: note short X ref

91(77); was see under AMINOSALICYLIC ACIDS 1977-90; was PARA-AMINOSALICYLIC ACID see under AMINOSALICYLIC ACID 1963-76; PAS was see under AMINOSALICYLIC ACID 1963-67

use P-AMINOSALICYLIC ACID to search PARA-AMINOSALICYLIC ACID 1975-76; use AMINOSALICYLIC ACIDS to search PARA-AMINOSALICYLIC ACID 1966-74 & PAS 1966-67

X 4-Aminosalicylic Acid

X para-Aminosalicylic Acid

X PAS

### Benzoylarginine Nitroanilide

D2.65.199.200

D12.125.95.104.100

a chromogenic cpd; DF: BAPA

91(75); was see under ARGININE 1975-90; N-BENZOYLARGINYL-4-NITROANILIDE was (NM) 1988-93

use BENZOYLARGININE NITROANILIDE (NM) to search N-BENZOYLARGINYL-4-NITROANILIDE 1988-93

X BAPNA

X N-alpha-Benzoyl-DL-arginine-4-nitroanilide

### 2,2'-Dipyridyl

D3.383.725.220

a reagent; D25-26 qualif; DF: DIPYRIDYL

91(77); was see under PYRIDINES  $1977\mbox{-}90;$  was ALPHA,ALPHA-DIPYRIDYL see under PYRIDINES  $1975\mbox{-}76$ 

use 2,2'-DIPYRIDYL to search ALPHA, ALPHA-DIPYRIDYL 1975-76

X alpha, alpha-Dipyridyl

X 2,2-Bipyridine

X Bipyridyl

#### **Prostaglandin-Endoperoxide Synthase**

D8.586.600.720

D8.586.682.420.715

/antag = CYCLOOXYGENASE INHIBITORS; DF: PG SYNTHASE

92; was PROSTAGLANDIN SYNTHASE 1975-91 (see under HYDROXYLASES 1975-77)

use PROSTAGLANDIN-ENDOPEROXIDE SYNTHASE to search PROSTAGLANDIN SYNTHASE 1975-91

X Cyclooxygenase

X Fatty Acid Cyclo-Oxygenase

X Prostaglandin Endoperoxide Synthetase

X Prostaglandin H Synthase

X Prostaglandin Synthase

X PGH Synthase

### **Changes in Cataloging Policy**

### **Subject Cataloging**

As of July 1996, the NLM assigns subject headings as appropriate to all materials regardless of imprint date. This change in subject cataloging policy was made to conform to a decision by the NLM History of Medicine Division (HMD) to assign subject headings to historical materials published before 1801. The result of this change is that Medical Subject Headings (MeSH) are now assigned to all modern editions and criticisms of early works originally published before 1801 (e.g., those materials classified in WZ 290-WZ 294). Prior to July 1996, subject headings were generally not required for materials classified in these numbers.

### Cataloging Treatment for Numbered Monographic Series

Effective September 1, 1996, NLM has redefined the kinds of publications treated as serials at NLM and no longer catalogs all numbered monographic series as serials. Specifically, with this change in policy, NLM now classifies separately and catalogs as a monograph any title in a monographic series which cannot easily be acquired on subscription or controlled as a serial.

Monographic series already cataloged as serials will continue to receive serial treatment, unless it is determined that a significant number of volumes are not in scope. In such cases, the serial record will be closed, and future volumes will be selectively acquired and classed separately.

Monographic series which will be cataloged as monographs and classified separately at NLM typically have two or more of the following characteristics:

- The series is not easily acquired on subscription or on standing order (e.g., series published in Third World nations, Spain, France, Asia, and Eastern Europe); or the series is issued by a lesser known organization.
- The items in the series provide no indication of an intention to publish indefinitely, are known to be issued on an irregular or infrequent basis, or contain no ISSN.
- The items in the series contain no prominent numbering, contain illogical numbering or numbering which appears


- to consist of stock item or order numbers.
- The items in the series consist of volumes which are revised editions or reprints of earlier volumes in the series.

In addition, NLM continues to treat the following categories as monographs:

- Bibliography series on broad general topics
- Series known to be irregular and issued more than five years apart
- Numbered analyzable Russian monographic series with generic titles (e.g., Trudy, Sbjornik Rabot)
- Government technical report series with titles consisting solely of initials (e.g., ORNL, EPA, etc.) which cover a wide range of subjects and frequently include subseries
- Publishers' series not traced or classed separately according to past practice

Users should benefit from this change in policy because it will result in enhanced access, particularly to foreign language items in the NLM collection.

--prepared by Alice Jacobs Technical Services Divsion



This page is blank.

### **Retrieving NLM Publications in Electronic Format**

Issues of the NLM Technical Bulletin may be retrieved electronically via Internet: using ftp via NLM's anonymous ftp server or via the NLM Home Page. New issues are added as they go to print; look for new issues on the server during the last week of February, April, June, August, October and December. Also available electronically are updated chapters of the Online Services Reference Manual (OSRM) and the serials publications: List of Serials Indexed for Online Users (LSIOU) and List of Journals Indexed in Index Medicus (LJI). Monthly update information for indexed titles, formerly found at the back of each Technical Bulletin issue is available electronically. Instructions for retrieving any of these publications are included below.

If you prefer to get your copy of the *Technical Bulletin* routinely electronically, please notify MMS so that we do not continue to mail you a *Technical Bulletin*. Our e-mail address is: mms@nlm.nih.gov. Please include your User ID code.

#### **Technical Bulletin**

### ftp via the NLM Home Page:

Connect to the NLM Home Page (URL: http://www.nlm.nih.gov)
Click on NLM Publications;
click on NLM Technical Bulletin;
choose the desired format:
pdf or postscript.
Choose the desired issue.

### ftp via NLM's anonymous ftp server:

PostScript and pdf files anonymous ftp to nlmpubs.nlm.nih.gov in the directory online/medlars/ techbull in the directories: pdf\_tb for pdf files ps\_tb for PostScript files

### Online Services Reference Manual -- Updated Chapters

### ftp via the NLM Home Page:

WordPerfect, PostScript, and pdf files
Connect to the NLM Home Page (URL: http://www.nlm.nih.gov)
Click on NLM Publications; click on Publications About Using NLM Programs and Services; click on Online Services Reference
Manuals; choose the desired format of the chapter you wish to retrieve.

### ftp via NLM's anonymous ftp server:

WordPerfect, PostScript and pdf files anonymous ftp to nlmpubs.nlm.nih.gov in the directory online/medlars/ manuals

### NLM Serials Publications: ISIOU, LII, and updates for indexed titles

#### ftp via the NLM Home Page:

DOS Text and WordPerfect
Connect to the NLM Home Page
(URL: http://www.nlm.nih.gov)
Click on NLM Publications;
click on Publications About Using
NLM Programs and Services; click
on desired publication.

### ftp via NLM's anonymous ftp

WordPerfect, PostScript and Text files anonymous ftp to nlmpubs.nlm.nih.gov in the directory online/journals

### Questions?

ftp: ftpadmin@nlm.nih.gov gopher: admin@gopher.nlm.nih.gov e-mail: admin@mailserv.nlm.nih.gov

To retrieve a list of MEDLARS databases online, their file counts and update information, type:

update information, type: FILE ALERT at a USER: prompt, then type Sinfo updates To retrieve the Serials updates online, type:

FILE ALERT at a USER: prompt, then type Sinfo seryymm, e.g. Sinfo ser9603

### **NLM Internet Directory**

### The following Internet addresses may be used for specific questions and comments to NLM:

AIDS Information Services	aids@aids.nlm.nih.gov
Anonymous ftp Service Assistance	ftpadmin@nlm.nih.gov
Fixed-Fee and Flat-Rate Special Agreements	ginter@nlm.nih.gov
GenBank Molecular Sequence Database Information	info@ncbi.nlm.nih.gov
Gopher and e-mail File Server Assistance	admin@gopher.nlm.nih.gov
Grateful Med	gmhelp@nlm.nih.gov
History of Medicine Division	hmdref@nlm.nih.gov
Images from the History of Medicine	hmdref@nlm.nih.gov
Interlibrary Loan (ILL)/DOCLINE Assistance	ill@nlm.nih.gov
International Programs Office	ip@nlm.nih.gov
Internet Grateful Med Help	access@nlm.nih.gov
MEDLARS Management Section	mms@nlm.nih.gov
MeSH Heading Suggestions	meshsugg@lhc.nlm.nih.gov
National Center for Biotechnology Information (NCBI)	info@ncbi.nlm.nih.gov
National Information Center on Health Services Research and	I
Health Care Technology (HealthSTAR/HSTAT):	nichsr@nlm.nih.gov
Office of Public Information	publicinfo@nlm.nih.gov
Planning and Evaluation Office	siegel@nlm.nih.gov
Preservation Information	pres@nlm.nih.gov
Reference Assistance	ref@nlm.nih.gov
Technical Services Division	tsd@nlm.nih.gov
Toxicology Information Program	toxmail@tox.nlm.nih.gov

### **NLM Internet Access**

#### **TELNET**

MEDLARS, PDQ & TOXNET	medlars.nlm.nih.gov
Locator	locator.nlm.nih.gov
HSTAT	text.nlm.nih.gov
FTP	
MEDLARS Server	medlars.nlm.nih.gov
NLM Anonymous Server	nlmpubs.nlm.nih.gov
TOOLS	
Internet Grateful Med	http://igm.nlm.nih.gov
NLM Home Page (HyperDoc)	http://www.nlm.nih.gov
NLM AIDS Home Page	http://sis.nlm.nih.gov/aidswww.htm
NLM Gopher	gopher.nlm.nih.gov
e-mail Based File Server	files@mailserv.nlm.nih.gov

### NLM TECHNICAL BULLETIN

**Head, MMS** Carolyn B. Tilley Co-Editor/Technical Notes Editor

Toby G. Port

Co-Editor Mary Herron


### Direct Inquiries to:

MEDLARS Management Section National Library of Medicine Bldg., 38A, Rm. 4N421 Bethesda, Maryland 20894 (800) 638-8480 TDD: (301) 435-2388 mms@nlm.nih.gov gmhelp@nlm.nih.gov The NLM Technical Bulletin is an administrative document sent to formal members of NLM's MEDLARS Online Network.

CONTENTS NOT COPYRIGHTED FREELY REPRODUCIBLE



Printed on Recycled Paper



NLM Phone Numbers: Internet E-Mail Addresses: Public Information 800-272-4787 publicinfo@nlm.nih.gov

MEDLARS Service Desk 800-638-8480 mms@nlm.nih.gov

DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service, National Institutes of Health
National Library of Medicine (#38/4N-421)
8600 Rockville Pike
BETHESDA, MARYLAND 20894

Official Business Penalty for Private Use \$300 FIRST-CLASS MAIL
POSTAGE & FEES
PAID
PHS/NIH/NLM
PERMIT No. G-763